



OIL & NATURAL GAS COMMISSION (B.O.P.) KARMACHARI SANGHATANA

AFFILIATED TO - PETROLIUM & GAS WORKERS' FEDERATION OF INDIA

Reg. No. (By - II - 8268)

Tel. : 2659 9775

Flat No.102, 1st Floor, Acme Harmony-I, Poonam Nagar, Off. JV Link Road, Andheri (E), Mumbai - 400 093.

REF. : ONGC/KS/080/2013

DATE : 11/07/2013

To,
ED-Plant Manager
ONGC WOU,
LPG-Plant,
Uran, Raigad.

O/c

ONGC
ADMN URAN
Inward No. 4056
Date 02/7/13

APD
2/7/13

Sub. : Conversion of post of AT (Boiler) A-II to JAT (Boiler) A-I.

Respected Sir,

This has reference to our advertisement No. 1/2013 regarding the recruitment of Boiler Operator in WOU, where 14 posts have been sanctioned as AT (Boiler). The zerox copy of the same is enclosed herewith. Accordingly we had advertised and conducted written test but candidates could not pass the test expect one for the post of AT (Boiler). The qualification prescribed for the post of AT (Boiler) is 3 years Diploma in Mechanical Engineering with 1st class Boiler Attendant certificate. The diploma holder candidates are abundantly available in the market but candidate in combination with 1st class Boiler attendant certificate is scarcely available in the market, as in can be seen from the present recruitment only one candidate was available when we have advertised for 14 posts.

Sir we are having departmental candidates possessing around 15/20 years rich experience in Uran Plant-Boiler department. To accommodate them we request your esteemed authority to kindly convert the post of AT (Boiler) to JAT (Boiler) so that departmental candidates could get opportunity to regularise themselves in Uran Plant as a regular Boiler Operator.

Thanking You,
Yours faithfully,

(Pradeep Mayekar)
General Secretary

O/c

Copy to:

1. ED-HRO, ONGC-WOU, NSE Plaza, BKC, Bandra(E), Mumbai.
- 2) DGM, I/c. HR/ER, Uran Plant, ONGC, Dronagiri Bhavan, Uran
- 3) DGM (HR) IR, ONGC, NSE, BKC, Bandra (E), Mumbai 400 051

APK
3/7/13

3/7/13